

**California Department of Transportation
Materials Engineering and Testing**

Pre-Qualified Noise Barrier Systems
(Other than those listed in Bridge Standard Detail Sheets)
Updated February 2017

NOTE: All vendors noted below will need to submit LRFD calculations compliant with the *AASHTO LRFD Bridge Design Specifications, 2012 (Sixth Edition)* before their product can be considered for use on the State Highway System.

PRODUCT/COMPANY	TYPE	VENDOR WEBSITE LINK	RESTRICTIONS
Acrylite Soundstop Masonry Wall System (formerly Paraglas) Evonik Cyro LLC 1796 Main Street Sanford, ME 04073 Phone (207) 490-4313 Fax (207) 490-4248	Reflective	www.acrylitesoundstop.com	Not to be Bridge Rail mounted. Not to be Safety Barrier mounted. Must be located beyond the Clear Recovery Zone or behind a MASH compliant barrier.
Acrylite Soundstop Ready-Fit Noise Barrier Panel (formerly Paraglas) Evonik Cyro LLC 1796 Main Street Sanford, ME 04073 Phone (207) 490-4313	Reflective	www.acrylitesoundstop.com	Not to be Bridge Rail mounted. Not to be Safety Barrier mounted. Must be located beyond the Clear Recovery Zone or behind a MASH compliant barrier.
Acrylite Soundstop TL4 System (formerly Paraglas) Evonik Cyro LLC 1796 Main Street Sanford, ME 04073 Phone (207) 490-4313	Reflective	www.acrylitesoundstop.com	Approved for Bridge Rail mounting.

<p>Carsonite Sound Barrier Carsonite Composites, LLC 19845 U.S. Highway 76 Newberry, SC 29108 Toll Free (800) 648-7916 Fax (803) 276-8940</p>	<p>Reflective</p>	<p>www.carsonite.com</p>	<p>Not to be Bridge Rail mounted. Not to be Safety Barrier mounted.</p> <p>Must be located beyond the Clear Recovery Zone or behind a MASH compliant barrier.</p>
<p>Centria – Eco Sound Barrier Versawall 1005 Beaver Grade Road Moon Twp.,PA 15108 Phone (412) 299-8260 Fax (412) 299-8316</p>	<p>Reflective</p>	<p>www.ecosoundbarrier.com</p>	<p>Not to be Bridge Rail mounted. Not to be Safety Barrier mounted.</p> <p>Must be located beyond the Clear Recovery Zone or behind a MASH compliant barrier.</p>
<p>Plywall Hoover Treated Wood Products, Inc 154 Wire Road Thomson, GA 30824 Phone 1-800-531-5558 Fax 706-595-6600</p>	<p>Reflective</p>	<p>www.plywall.com/</p>	<p>Not to be Bridge Rail mounted. Not to be Safety Barrier mounted.</p> <p>Must be located beyond the Clear Recovery Zone or behind a MASH compliant barrier.</p>
<p>Port-O-Wall System Sound Wall Port-O-Wall Systems, LLC 585 Fifth Street West, PMB #182 Sonoma, CA 95476 Phone (707) 938-4516</p>	<p>Reflective</p>	<p>www.port-o-wall.com</p>	<p>Not to be Bridge Rail mounted. Not to be Safety Barrier mounted.</p> <p>Must be located beyond the Clear Recovery Zone or behind a MASH compliant barrier.</p>
<p>Port-O-Wall Systems Acoustical (Model PWA-1) Port-O-Wall Systems, LLC 585 Fifth Street West, PMB #182 Sonoma, CA 95476 Phone (707) 938-4516</p>	<p>Absorptive</p>	<p>www.port-o-wall.com (www.soundsorb.com may be contacted when seeking a sound absorptive solution)</p>	<p>Not to be Bridge Rail mounted. Not to be Safety Barrier mounted.</p> <p>Must be located beyond the Clear Recovery Zone or behind a MASH compliant barrier.</p>

<p>Sound Fighter LSE Noise Barrier Sound Fighter Systems, L.L.C. P.O. Box 7216 Shreveport, LA 71137 Phone (318) 861-6640 Toll Free (866) 348-6640 Fax (318) 865-7373</p>	<p>Absorptive</p>	<p>www.soundfighter.com/</p>	<p>Not to be Bridge Rail mounted. Not to be Safety Barrier mounted.</p> <p>Must be located beyond the Clear Recovery Zone or behind a MASH compliant barrier.</p>
<p>SoundSorb Durable Acoustic Soundwall Concrete Solutions, Inc. (CSI) 3300 Bee Cave Road, Suite 650 Austin, TX 78746 Phone (512) 327-8481 Fax (512) 327-5111</p>	<p>Absorptive</p>	<p>www.soundsorb.com</p>	<p>Not to be Bridge Rail mounted. Not to be Safety Barrier mounted.**</p> <p>Must be located beyond the Clear Recovery Zone or behind a MASH compliant barrier.</p>
<p>For additional information, please send email to: julie.forsythe@dot.ca.gov</p>			

** Should the product be mounted upon a MASH compliant barrier at a minimum of 48 inches above grade in a manner consistent with that provided during the evaluation phase of this product, the Department will consider this to be a location which is not accessible to motor vehicle traffic and suitable for use within the clear recovery zone. This does not apply for use on structures.